



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-012
Job Sheet 184228



Part No: D350-636-012

Job Qty: 1 ea

Part Name: Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/3/18

Job Tracking No:

Due Date: 10/19/18

Created By: Jesse White

Type: Stock

Description:

Note: DWG D3492 REV E SHEET 1, D2750-042 REV G SHEETS 1,2,5,9 IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verf:EC IPP Rev:M 08-04-22 DD verified:EC IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD verf:EC IPP Rev:P 10.06.22 revise seq110 DD verf:EC IPP Rev:Q 10.10.01 as per IIN revH DDverf:EC IPP REV:R 13.08.27 PER ECN13-594 DD VERF:JLM

Ship Via:

Ego72



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S116583



Part: D350-636-012

Job No: 184228

Serial No/Batch: S116583

Revision:

Inspector:

Exp Date:

Instructions: TC STC SH99-7 Issue 2, FAA STC SR00646SI

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea		10/19/18	0.00	0.00	Start Up Skid tubes-1		DD
110	Skid tubes	1 pcs		10/19/18	0.00	4.36	Skid tubes-4		DD, DAS, BE
120	QC	1 pcs		10/19/18	0.00	0.00	QC10		38, DAS
130	QC	1 pcs		10/19/18	0.00	0.00	QC5		9-89, 38
140	HandFinish	1 pcs		10/19/18	0.00	0.91	HandFinish1		D.R. 18/10/16
150	QC	1 pcs		10/19/18	0.00	0.00	QC7-2		MGO, BE
160	Skid tubes	1 pcs		10/19/18	0.00	4.36	Skid tubes-1		BE, BE
170	QC	1 pcs		10/19/18	0.00	0.00	QC10		38, DAS
180	QC	1 pcs		10/19/18	0.00	0.00	QC5		9-89, 38
190	HandFinish	1 pcs		10/19/18	0.00	0.91	HandFinish2		D.R. 18/11/16
200	SprayPaint	1 pcs		10/19/18	0.00	0.69	Spray Paint		NIR
205	Outsource	1 pcs		10/19/18			ATE003-VC	NOV 07 2018	2-18-11-00
210	QC	1 pcs		10/19/18	0.00	0.00	QC14		DAS, 9-89
230	HandFinish	1 pcs		10/19/18	0.00	0.91	HandFinish4		DAS, 9-89
240	QC	1 pcs		10/19/18	0.00	0.00	QC5		NOV 09 2018, 68
250	Packaging	1 pcs		10/19/18	0.00	0.00	Packaging1-3		9-89
260	QC	1 pcs		10/19/18	0.00	0.00	QC4		NOV 12 2018
270	Packaging	1 pcs		10/19/18	0.00	0.00	Packaging3-1		NOV 12 2018
275	DC	1 pcs		10/19/18	0.00	0.00	DC		NOV 13 2018
280	QC21-FG	1 Ea		10/19/18	0.00	0.00	QC21		NOV 13 2018

Part Op 110 - 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig DT8150 & Descriptions: DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 9- Grind welds flush as per Dwg D2750

160 - 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750. 3- Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for welding, remove alodine as required. 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: M138943 exp. date: 19/03/06 **ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)** 8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod batch: 138673 9- At section AP-AP drill out x-bolt spacer to 0.404" 10-Grind welds flush as per Dwg D2750 11- Spot face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of all scratches before sending to paint.

180 - ***VERIFY C'BOARD IS GOOD***

190 - Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.

200 - 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: _____ 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: _____

210 - Inspect for foreign object per QSI 024

230 - 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKAFLEX 241 BATCH: M138943 EXP DATE: 12/03 4- assemble o-ring to plug as per dwg D3492 and apply o-ring lube A/R 55-o-ring lube batch: M138843 5-Coat all exposed fasteners with "LPS Procyon" batch: M133690

270 - Package as per PPP D350-636-012

275 - record fwd angle: 90° Photocopy blue file and type labels per PPP D350-636-012 CHG 007

205: outsource: P0041609.

38
38
38
38

38
38
38

NOV 1 3 2011
NOV 1 3 2011

38
38
38
38

38

M.U. 006340

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-RH	Extrusion Bent RH	1 Ea (1 ea)	90-Start up Operation	5081485
D2744	Cap	1 Ea (1 ea)	110-Skidtubes	5060499
D2739	350 I-Beam	1 Ea (1 ea)	160-Skidtubes	5102814
D2743	Crossbolt Spacer	8 Ea (8 ea)	160-Skidtubes	5122933
D3490-1	Cross Bolt Spacer	4 Ea (4 ea)	160-Skidtubes	5082748
D3490-3	Cross Bolt Spacer	4 Ea (4 ea)	160-Skidtubes	5107862
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-HandFinish	5058138
AN3C5A	Bolt	34 Ea (34 ea)	230-HandFinish	5095214
AN3C6A	Bolt	4 Ea (4 ea)	230-HandFinish	5049457
AN6C44A	Bolt	4 Ea (4 ea)	230-HandFinish	5006333
AN8C35A	Bolt	1 Ea (1 ea)	230-HandFinish	5103997
D2745	Bushing	8 Ea (8 ea)	230-HandFinish	5091818
D3488-042	Blade Fitting RH	1 Ea (1 ea)	230-HandFinish	5093460
D3492-1	Plug	8 Ea (8 ea)	230-HandFinish	5107238
D3492-3	Plug	8 Ea (8 ea)	230-HandFinish	5107030
D3535-25	Wearplate Center	1 Ea (1 ea)	230-HandFinish	5097987
D3536-25	Gasket Center	1 Ea (1 ea)	230-HandFinish	5115077
D3537-1	Wearpad	3 Ea (3 ea)	230-HandFinish	5081682
D3631-1	Washer	8 Ea (8 ea)	230-HandFinish	5058407
D3791-1	Wearpad	1 Ea (1 ea)	230-HandFinish	5098605
D3793-1	Wearplate Fwd	1 Ea (1 ea)	230-HandFinish	5089345
D3793-3	Wearplate Aft	1 Ea (1 ea)	230-HandFinish	5089448
D3794-1	Gasket Fwd	1 Ea (1 ea)	230-HandFinish	5108630
D3794-3	Gasket Aft	1 Ea (1 ea)	230-HandFinish	5099637
MS21043-6	Nut	4 Ea (4 ea)	230-HandFinish	5058146
MS21083C8	Nut	1 Ea (1 ea)	230-HandFinish	5090633
NAS1149C0332R	Washer	38 Ea (38 ea)	230-HandFinish	5089465
NAS1149C0832R	Washer	1 Ea (1 ea)	230-HandFinish	5076017-2
NAS1515H3L	Washer	4 Ea (4 ea)	230-HandFinish	5083559
NAS1611-010	O-Ring	8 Ea (8 ea)	230-HandFinish	5106792
NAS1611-013	O-Ring	8 Ea (8 ea)	230-HandFinish	5057659
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging	5099574
D2741	Replacement Blade	1 Ea (1 ea)	250-Packaging	5068565
D3493-1	Washer	2 Ea (2 ea)	250-Packaging	5125813
D3532-1	Spacer	2 Ea (2 ea)	250-Packaging	5096421
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging	5104040
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging	5089248

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	D2600-3-BENT-RH	1	16	0
110-Skidtubes	D2744	1	38	0
160-Skidtubes	D2739	1	13	0
	D2743	8	15	0
	D3490-1	4	71	0
	D3490-3	4	94	0
230-HandFinish	ALS4-1032-225	38	1,848	0
	AN3C5A	34	1,850	0
	AN3C6A	4	222	0
	AN6C44A	4	142	0
	AN8C35A	1	45	0
	D2745	8	91	0
	D3488-042	1	5	0
	D3492-1	8	108	0
	D3492-3	8	153	0
	D3535-25	1	21	0
	D3536-25	1	34	0
	D3537-1	3	277	0
	D3631-1	8	515	0
	D3791-1	1	26	0
	D3793-1	1	21	0
	D3793-3	1	21	0
	D3794-1	1	24	0
	D3794-3	1	21	0
	MS21043-6	4	185	0
	MS21083C8	1	175	0
	NAS1149C0332R	38	4,327	0
	NAS1149C0832R	1	400	0
	NAS1515H3L	4	455	0
	NAS1611-010	8	703	0
	NAS1611-013	8	305	0
250-Packaging	AN8C21A	2	99	0
	D2741	1	64	0
	D3493-1	2	13	0
	D3532-1	2	36	0
	MS21083C8	2	175	0
	NAS1149D0863J	2	99	0

Part Specifications

Specifications could not be found.

Plex 10/3/18 3:18 PM dart.white.jesse


QTY -041	QTY -042	QTY -043	QTY -044	PART NUMBER	DESCRIPTION
X				D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X			D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X		D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X	D2750-044	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	D2739	WEB
8	8	8	8	D2743	SPACER
1	1	1	1	D2744	CAP
8	8	8	8	D2745	BUSHING
1				D2750-1	SKIDTUBE WELDMENT, LH
	1			D2750-2	SKIDTUBE WELDMENT, RH
		1		D2750-3	SKIDTUBE WELDMENT, LH
			1	D2750-4	SKIDTUBE WELDMENT, RH
1		1		D3488-041	BLADE FITTING, LH
	1		1	D3488-042	BLADE FITTING, RH
4	4	4	4	D3490-1	SPACER
4	4			D3490-3	SPACER
		4	4	D3490-5	SPACER
8	8	8	8	D3492-041	PLUG ASSEMBLY
8	8			D3492-043	PLUG ASSEMBLY
		8	8	D3492-045	PLUG ASSEMBLY
1	1	1	1	D3535-25	WEARSHOE
1	1	1	1	D3536-25	GASKET
3	3	3	3	D3537-1	WEARPAD
8	8	8	8	D3631-1	WASHER
1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	D3794-1	GASKET
1	1	1	1	D3794-3	GASKET
38	38	38	38	ALS4-1032-225	INSERT (OR ALS7-1032-225, AKS4-1032-225, AELS-1032-225)
34	34	34	34	AN3C5A	BOLT
4	4	4	4	AN3C6A	BOLT
4	4	4	4	AN6C44A	BOLT
1	1	1	1	AN8C35A	BOLT
38	38	38	38	AN960C10L	WASHER
1	1	1	1	AN960C816L	WASHER
4	4	4	4	MS21043-6	NUT
1	1	1	1	MS21083C8	NUT
4	4	4	4	NAS1515H3L	WASHER

GENERAL NOTES:

- MATERIAL: MAKE D2750-1/-2/-3/-4 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- FINISH: ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.
STANDARD: PRIME (REF. 4.2.1.3.3) AND PAINT WHITE PER DART QSI 005 4.2
OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: D2750-041/-042/-043/-044 = 26.5 LBS
- WELD PER DART QSI 004
- INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 'F' SIZE HOLES (Ø0.297) FOR WEARSHOE INSERTS
- FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF
FINISH WITH MEK DEGREASER
- SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL

RELEASED
2013-08-13

G	CORRECTED TOLERANCE ON Ø0.500 THRU HOLE: IS +0.010/-0.000, WAS +0.100/-0.000 (ZN B3-4, B2-5); ADD VIEW TO CONTROL FWD BEND ORIENTATION (ZN D-1-4-5-6-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3. REASON: PAR13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 0413; QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/-3 REPLACES D3535-13/-35 (ZN C8-1); D3794-1/-3 REPLACES D3536-13/-35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWDRAFT SADDLE REMOVED (8 PL); WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES; ADD RUBBER GASKETS; CHANGE INSERTS; ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515H8L; REMOVE D2741, QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/9157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24694-S293 TO AN8-16A	CP	98.09.01
A	NEW ISSUE	DS	98.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	MM	KENT, WA	
CHECKED	MM	DRAWING NO.	REV. G
MFG. APPR.	MM	D2750	SHEET 1 OF 11
APPROVED	MM	TITLE	SCALE
DE APPR.	MM	350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	





D2750-041 350 SKIDTUBE ASSEMBLY, LH

D2750-042 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13
MD


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	<i>[Signature]</i>	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D2750	REV. G
MFG. APPR.	<i>[Signature]</i>	SHEET 2 OF 11	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	350 SKIDTUBE ASSEMBLY NTS	
DATE	13.07.11	COPYRIGHT © 1999 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	






RELEASED
2013-08-13


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 4 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS NOT TO BE RELEASED OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D2750-2 RH SKIDTUBE




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)




DETAIL J
SCALE 2X




DETAIL K
SCALE 2X




DETAIL L
SCALE 2X




DETAIL M
SCALE 2X




SECTION N-N
SCALE 3X, 2 PL



SECTION P-P
SCALE 3X, 17 PL



SECTION Q-Q
SCALE 3X, 4 PL





SECTION R-R
SCALE 3X, 4 PL

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		TITLE	SHEET 5 OF 11
APPROVED		350 SKIDTUBE ASSEMBLY	
DE APPR.		SCALE NTS	
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC.	


RELEASED
2013-08-13

8 7 6 5 4 3 2 1




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)


D2750-3 LH SKIDTUBE




DETAIL S
SCALE 2X




DETAIL T
SCALE 2X




DETAIL U
SCALE 2X



SECTION V-V
SCALE 3X, 17 PL



SECTION W-W
SCALE 3X, 4 PL




SECTION X-X
SCALE 3X, 4 PL

RELEASED
2013-08-13


DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 6 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	
DATE	13.07.11	NTS	

COPYRIGHT © 1988 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


8 7 6 5 4 3 2 1




D2750-4 RH SKIDTUBE




DETAIL AA
SCALE 2X




DETAIL AB
SCALE 2X




DETAIL AC
SCALE 2X



SECTION AD-AD
SCALE 3X, 17 PL




SECTION AE-AE
SCALE 3X, 4 PL




SECTION AF-AF
SCALE 3X, 4 PL


RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 7 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	










8 7 6 5 4 3 2 1




D2750-044 350 SKIDTUBE ASSEMBLY, RH



DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 11 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR ANY OTHER THAN THE PURPOSE FOR WHICH IT WAS ORIGINALLY INTENDED WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

RELEASED
2013-08-13





Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041609**

Supplier: ATE003-VC
Atelier Debosselage
358 Principale
Calumet
QC
J0V 1B0 Canada
Phone: 819 242 5633

PO No: PO041609
PO Date: 11/6/18
Due Date: 11/9/18
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
11	184228	D350-636-012	1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: _____ 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: _____ Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp. : TC STC SH99-7 Issue 2, FAA STC SR00646SE 15/10/28, EASA STC EASA.10033942 11/02/21, BRAZIL 2009S05-01 09/05/08 PR	Firmed	-	11/9/18	1 pcs	0 pcs	1 pcs	\$225.00/pcs	\$225.00
Grand Total:										\$225.00	

NOV 07 2018



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO041609

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 11/6/18 9:25 AM dart.tsimiklis.chrisoula

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8				D3492-041	PLUG ASSEMBLY
*31	8	8						D3492-043	PLUG ASSEMBLY
*32			8	8				D3492-045	PLUG ASSEMBLY
***43	2	2	2	2				D3493-1	WASHER
50	2	2						D3532-1	SPACER
****97					1	1		AN3C34A	BOLT
****98					2	2		NAS1149C0363R	WASHER
****99					1	1		MS21043-3	NUT
100A							4	AN526C1032R10	SCREW
100B							4	AN526C1032R18	SCREW

* PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY

** TO BE SUPPLIED BY CUSTOMER

*** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM

***** PART OF D2750-051 OR D2750-052 ASSEMBLY

REFERENCE ONLY

REFERENCE ONLY

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT

D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN8C21A	BOLT
11	2	2	2	2	2	2		NAS1149DO863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR
 COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K

Date: 18.04.04

REFERENCE ONLY

1.40 20/3/94

1.40 20/3/94

Change Record

PAGE 1 OF 1

Part Number: D350-636-011/-011GB/-012/-012GB

Description: SKIDTUBE STD LH/RH, FLOAT COMPATIBLE

[illegible]

